

Message From **CHAIRMAN**

SUKHDEV SINGH RAYAT

satisfaction in achieving business success.

Chairman & Founder

The POWERPACK Group of companies has gone through periodic business transformations, complemented by continuous innovation in its approach.

This inventive spirit is part of our continuous development.

Our company ensures to deliver their best and, in turn, makes sure each of our customers has a strong belief in quality and service.

I believe that there is no shortcut to achieving business goals with values like morals, ethics, honesty, etc. I strongly believe in hard work, delivering promised work to customers, and giving preference to customer

BUSINESS MADE EASY

THE TEAM BEHIND



JASVINDER SINGH RAYAT
Director



NARINDER SINGH Director

OUR PRESTIGIOUS CLIENTS







































PØWERPACK®

HEATING ELEMENTS



Perfect Solution
For Your Heating Needs

PØWERPACK[®]

AUTOMATIC IMMERSION HEATER



SURAKSHA IST

- > Available in 1000W, 1500W & 2000W
- Material Copper (sheathed)
- > High Grade Resistance Wire
- > Heater Type Water Heater
- > Usage/Application Home, Offices etc.
- > Provided with Automatic Temp. Control

IMMERSION HEATER



RADIUS IS

- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Home, Offices etc.



SUBMERSIBLE (DOLPHIN) IS



- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Fully Submersible in Water. SHOCK PROOF
- > Usage/Application Home, Offices etc.



ARISTOCRATE IS



- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > High Grade Resistance Wire
- > Usage/Application Home, Offices etc.



CLASSIC (INDICATOR)



- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Provided with Indicator
- > Usage/Application Home, Offices etc.



AQUA PLUS (SS) 🔄



- > Available in 1000W, 1500W & 2000W
- > Material Stainless Steel
- > Heater Type Water Heater
- > Fully Submersible in WAter. SHOCK PROOF
- > Usage/Application Home, Offices etc.

W3 KETTLE ELEMENT/HALF ROUND



KETTLE ELEMENT (DIRECT) IS

- > Available in 1000W, 1500W, 2000W & 3000W
- > Material Copper (sheathed)
- > High Grade Resistance Wire
- > Heater Type Water Heater
- > Usage/Application Boilers, Tanks etc.



KETTLE ELEMENT WITH POCKET IS



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Boilers, Tanks etc.
- > Provided with Thermostat Pocket



HALF ROUND IS

- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Boilers, Tanks etc.



AUTO SAFETY DEVICE IS



- > Available in 1000W, 1500W, 2000W & 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > High Grade Resistance Wire
- > Usage/Application Boilers, Tanks etc.



HALF ROUND WITH POCKET IS

- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Boilers, Tanks etc.
- > Provided with Thermostat Pocket

GEYSER ELEMENTS



TRIANGULAR TYPE (RT) IS

- > Available in 1000W, 1500W, 2000W & 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket Also.



CUP TYPE IS

- > Available in 1000W, 1500W, 2000W & 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket Also.



1" BSP COFFEE MACHINE



- > Available in 1000W, 1500W & 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Coffee Machine



HZL ELEMENT (CUP/RT/NT)



- > Available in 2000W & 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers



MIDGET CUP TYPE (5)



- > Available in 3000W & 4000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Instant Geysers
- > Available with Thermostat Pocket Also.



JOHNSON TYPE IS

- > Available in 3000W & 4000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Instant Geysers
- > Available with Thermostat Pocket Also.

PØWERPACK®



NIPPLE TYPE (57)

- > Available in 2000W & 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Instant Geysers



ALTRO TYPE



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



ETERNO TYPE 5



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



S/P HOT TYPE



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



BAJAJ TYPE (57)



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



BANANA TYPE 5



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers

SINCE 1972



ORBIT STORAGE (57)



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



ORBIT INSTANT IS



- > Available in 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers
- > Available with Thermostat Pocket.



BANMARY TYPE 5



- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Geysers/Banmary/ Kitchen Equipments
- > Available with Thermostat Pocket.

CMO & INDUSTRIAL ELEMENTS (BTH)



CMO 1-1/4" BSP SINGLE ROD IS



- > Available in 1000W/1500W/2000W/3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Also Available with Thermostat Pocket.



1-1/4" BSP BTH DOUBLE ROD



- > Available in 2000W/3000W/4000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Also Available with Thermostat Pocket.



1-1/2" BSP BTH 3 ROD 🔄



- > Available in 2000W/3000W/4000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Also Available with Thermostat Pocket.



2" BSP BTH 3 ROD III



- > Available in 3000W/4000W/5000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Also Available with Thermostat Pocket.



HEATER ELEMENT (SPRING)

- > Available in 1000W/1500W/2000W
- > Material Nichrome Wire
- > Heater Type Spring Type
- > Usage/Application Domestic Usage

STERLIZER ELEMENTS



NON AUTO/DIRECT TYPE 5



- > Available in 500W/1000W/1500W/2000W/3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial/Medical



NIPPLE U-TYPE 5



- > Available in 500W/1000W/1500W/2000W/3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial/Medical



NIPPLE L-TYPE (57)



- > Available in 500W/1000W/1500W/2000W/3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial/Medical



NIPPLE L/U CROSS TYPE IS



- > Available in 1000W/1500W/2000W/3000W/4000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial/Medical

SOLAR ELEMENT (Without Chucknut)



2KW 1-1/4" WITH POCKET & M. CAP S/ROD 11" LONG IS

- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Available with Thermostat Pocket & Metal Cap



3KW 1-1/4" WITH POCKET & M.CAP S/ROD 11" LONG IS

- > Available in 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Available with Thermostat Pocket & Metal Cap



4KW & 5KW 1-1/4" WITH POCKET & M.CAP D/ROD 12" LONG

- > Available in 4000W/5000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Available with Thermostat Pocket & Metal Cap



5500W 1" BSP 16" ELEMENT (5)



- > Available in 5500W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Available with Thermostat Pocket



3KW 1-1/4" / SQUARE PLATE WITH POCKET LST S/ROD 18" LONG (1/2" TUBE)

- > Available in 3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Application
- > Available with Thermostat Pocket & Metal Cap

WASHING MACHINE ELEMENT





- > Available in 2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Domestic Usage

PORCELAIN HEATING ELEMENT (VENUS TYPE)



1-1/4" 2PIN

- > Available in 1000W/1500W/2000W
- > Material Porcelain
- > Heater Type Heater
- > Usage/Application Industrial/Geyser



1-1/2" 2PIN

- > Available in 1000W/1500W/2000W
- > Material Porcelain
- > Heater Type Heater
- > Usage/Application Industrial/Geyser



1-1/2" 3PIN/ THIMBLE

- > Available in 1000W/1500W/2000W
- > Material Porcelain
- > Heater Type Heater
- > Usage/Application Industrial/Geyser



2" 2000W

- > Available in 2000W
- > Material Porcelain
- > Heater Type Heater
- > Usage/Application Industrial/Geyser

W11

KETTLE ELEMENT (ORD) NON ISI



NON AUTO/ DIRECT TYPE

- > Available in 1000W/1500W/2000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Domestic/Boiler Usage
- > ALSO AVAILABLE AUTO SAFETY DEVICE



INDUSTRIAL HEATING ELEMENT ORD (NON ISI)



BTH 2 ROD 1-1/4" BSP

- > Available in 2000W/3000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Usage



BTH 3 ROD 1-1/2" BSP

- > Available in 3000W/4000W/5000W/6000W/9000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Usage



BTH 2" 3 ROD

- > Available in 3000W/4000W/5000W/6000W/9000W/12000W
- > Material Copper (sheathed)
- > Heater Type Water Heater
- > Usage/Application Industrial Usage
- > 6KW, 9KW & 12KW With Th. Pocket Also Available

W13 THERMOSTAT / CUTOUT



THERMOSTAT IS & CUTOUT

- > Available in 4" / 7" / 11"
- > Material Brass Pipe
- > Available in Thermostat and Cutout
- > Heavy Quality Components Used
- > Highly Calibrated and Quality Checked
- > Usage/Application Domestic/Industrial/Geyser



U SHAPE AIR HEATER & STRIP HEATER



S.S TUBE AIR HEATER

- > Available in Customized Size Length
- > Material SS 304 L
- > Heater Type Air Heater
- > Usage/Application Industrial Usage



S.S U TYPE FINNED AIR HEATER

- > Available in Customized Size Length
- > Heavy Quality Finns for Superior Heat Sink
- > Material SS 304 L
- > Heater Type Air Heater
- > Usage/Application Industrial Usage



FINNED STRIP HEATER

- > Available in Customized Size Length
- > Heavy Quality Finns for Superior Heat Sink
- > Material GI Sheet
- > Heater Type Air Heater
- > Usage/Application Industrial Usage



OIL HEATERS

- > Available in 1000W / 1500W / 2000W / 3000W / 4000W / 4500W / 5000W / 6000W / 9000W / 12000W
- > Material SS Tube
- > Heavy Quality for Longer Life
- > Heavy Socket Flange and Components
- > Usage/Application Industrial Usage

OF HEATERS

PØWERPACK®

SINCE 1972

W16 HEAT CONVECTOR/ROOM HEATERS



HEAT CONVECTOR (DELUXE MODEL)

- > ISI Marked
- > Compact & Elegant Design
- > Large Handle for Easy Portability
- > Adjustable Height
- > Heat Selection
- > Low Noise Performance

Wattage: 1000/2000W Voltage: 230V,50Hz, AC Motor Wattage: 22W

Current: 10A

HEAT CONVECTOR (CLASSIC MODEL)

- > ISI Marked
- > Compact & Elegant Design
- > Large Handle for Easy Portability
- > Twin Turbo Design
- > Adjustable Height
- > Variable Heat Setting
- > Safety Thermostat Control
- > Low Noise Performance

Wattage: 1000/2000W Voltage: 230V,50Hz, AC Motor Wattage: 22W

Current: 10A





QUARTZ HEATER (DOUBLE ROD)

- > Double Rod Noiseless Heater
- > Stylish & Elegant Design
- > 400W / 800W Portable with ABS Body
- > Overheating Protection
- > Safety Mesh Provided

PØWERPACK®

SINCE 1972



FAN HEATER (SLEEK MODEL)

- > ISI Marked
- > Adjustable & Portable Design
- > 2 Heat Settings
- > Foreceful Hot Air Circulation
- > Automatic Thermostat
- > Built in Safety Cutout
- > Low Noise Performance

FAN HEATER (ELEGANT MODEL)

- > ISI Marked
- > Adjustable & Portable Design
- > Elegant Look With Dual Color Body
- > 2 Heat Settings
- > Foreceful Hot Air Circulation
- > Automatic Thermostat
- > Built in Safety Cutout
- > Low Noise Performance





ROOM HEATER (DISCO MODEL)

- > Compact Design
- > ISI Marked
- > Special Ceramic Rod for High Temprature
- > Single Rod 1000W
- > Double Rod 2000W



SMART, MODERN & QUALITY HOME APPLIANCES







VENTILATION FAN

Available in 6", 8" & 10"

FEATURES:

- > High Speed
- > Copper Winded Motor
- > ABS Body & Louvers
- > Auto Close Shutter
- > Smooth Airflow for Silent Operation

FRESH AIR FAN DELUXE

Available in 9" & 12"

FEATURES:

- > Heavy Duty Frame with Metal Blade
- > Copper Winded Motor
- > Powder Coated Metal Body
- > Provided with Safety Grill
- > Smooth Airflow for Silent Operation





FRESH AIR FAN

R FAN SPEED

Available in 6", 9" & 12"

- > High Speed 2800RPM
- > Copper Winded Motor
- > Powder Coated Metal Body
- > Provided with Safety Grill
- > Smooth Airflow for Silent Operation





TRANSAIR FAN

Available in 9" & 12"

FEATURES:

- > 1" Heavy Duty Motor
- > Copper Winded Motor
- > Powder Coated Metal Body
- > Metal Grill and Metal Blade
- > Sealed ZZ Ball Bearing

EXHAUST FAN

* Available in 12" | 15" | 18" | 24"

FEATURES:

- > Heavy Duty Frame & Blade
- > Copper Winded Motor
- > Powder Coated Metal Body
- Sealed V3 ZZ Ball Bearing
- > Aluminium Die-cast Body
- > Ideal for Factories, Warehouse, Halls. etc



Also Available in 3PHA



18" WALL FAN



FEATURES:

- Heavy Duty Motor
- > Copper Winded
- > 3-Speed Selector
- > Aluminium Die-Cast Blade
- > Oscillating & Powerful Air Circulation
- > Powder Coated Guard & Mounts.





18" PADESTAL FAN



FEATURES:

- > Heavy Duty Motor
- > Copper Winded
- > 3-Speed Selector
- > Aluminium Die-Cast Blade
- > Oscillating & Powerful Air Circulation
- > Powder Coated Guard & Mounts.

SPECIFICATIONS

SPEED	WATTS	OSCILLATION ANGLE	TILTING ANGLE	INDEXING ANGLE	REGULATION	AIR DELIVERY	PEAK AIR VELOCITY
1400RPM	100W	90 °	22 °-45 °	4	3 SPEED	140 M3/Min	250 M/Min



Commonly used in Banquet Halls, Auditoriums, Schools, Factories etc.



24" WALL FAN



FEATURES:

- > Heavy Duty
- > Copper Winded
- > Aluminium Die Cast Blade
- Oscillating & Powerful Air Circulation
- > Powder Coated Guard & mounts.



24" PADESTAL FAN

FEATURES:

- > Heavy Duty
- Copper Winded
- > Aluminium Die Cast Blade
- > Oscillating & Powerful Air Circulation
- > Powder Coated Guard & mounts.

SPECIFICATIONS

SPEED	WATTS	OSCILLATION ANGLE	TILTING ANGLE	INDEXING ANGLE	REGULATION	AIR DELIVERY	PEAK AIR VELOCITY
1400RPM	200W	90 0	22 °-45 °		3 SPEED	275 M3/Min	250 M/Min

Commonly used in Banquet Halls, Auditoriums, Schools, Factories etc.



WALL MOUNTED FAN

Available in 12" & 16"

FEATURES:

- > High Speed
- > High Torque Motor
- Oscillating Swing Motor
- > Provided with Safety Grill
- > Anti Rust Body
- > 3-Speed Selector Switch
- > Double String





- > High Speed
- > High Torque Motor
- > Oscillating Swing Motor
- > Provided with Safety Grill
- > Anti Rust Body
- > 3-Speed Selector Switch







CABIN FAN

Model: 12"

FEATURES:

- > High Speed
- > 100% Copper Winded Motor
- Oscillating Swing Motor
- > Anti Rust Body
- > Installed with self lubricating Bushes.
- > Provided with safety grill

ALL PURPOSE FAN

Model: 12"

- > 100% Copper Winded Motor
- > High Speed with 2800 RPM
- > High Torque Motor
- Robust and Heavy duty Frame Set & Accessories
- Provided with Safety Grill
- > Anti Rust Body
- > 3-Speed Selector Switch







INSTRUMENT COOLING FAN

Available in 4", 6" & 8"

FEATURES:

- > High Speed
- > 30% More Air
- > Energy Saver
- > METAL Body
- Ideal for Office, Cabin & Machines and Electric Panel

AXIAL FAN

Available in 4", 6"

- > High Speed
- > 30% More Air
- > Energy Saver
- > Provided with Safety Grill
- > PVC Body
- > Ideal for Office, Cabin & Washrooms





COOLER KIT

With Leg Set, Rubber Clamps, Blade, Switch & Pump

Available in 15" & 18"

FEATURES:

- > 1" Heavy Duty Motor
- > Copper Winded
- > Powder Coated Metal Blade
- > Self Lubricating Bushes
- > Heavy guage Frame & Leg



COOLER PUMP



FEATURES:

- > Compact Size & Long Life
- > Noiseless & Energy Saving
- > Easy Maintainence & Cleaning
- > Full Water Lifting
- > Robust ABS Body

POWER STRIP

Available in 6 & 16 AMP

FEATURES:

- > Fitted wit ISI marked Switch
- > Brass Connectors
- > 3 Mtr Long Wire, Safety Fuse Provided
- Moulded Plug, Power Indicator
- > Available in Metal & PVC body Available in 6Amp







Available in 6Amp 3+1 | 3+3 | 4+1 16Amp 3+1 | 3+3 | 4+1,





HOT PLATE (1250W)

FEATURES:

- > Robust Chrome Finish Body
- Heavy Duty 3 Step Rotary Switch
- > Fitted with ISI Marked Heating Element
- > Anti Rust SS Body
- > Available with Ring & Wire

G COIL ELEMENT

Available as spare part also.

SIZES: 6", 7" & 8"



HOT PLATE (2000W)

- > Robust Chrome Finish Body
- > Heavy Duty 3 Step Rotary Switch
- > Fitted with ISI Marked Heating Element
- > Anti Rust SS Body
- > Available with Ring & Wire







TWIN TUBE 24" BIG



TWIN TUBE 12" SMALL

Slimline INSECT KILLER

Available in 12" & 24"

FEATURES:

- Non-polluting, Healthy Environment
- > Odourless & Noiseless
- > Safety Double Mesh
- > Anti Rust SLIM Body
- > Power Indicator

Weight:

Twin Tube 24":
Twin Tube 12":




Peluxe INSECT KILLER

Available in 12" & 24"

FEATURES:

- Non-polluting, Healthy Environment
- > Odourless & Noiseless
- > Safety Double Mesh
- > Anti Rust Powder Coated Body
- > Power Indicator



TWIN TUBE 24" BIG

Weight:

Twin Tube 24":
Twin Tube 12":



TWIN TUBE 12" SMALL



STORAGE | INSTANT | PORTABLE GEYSERS





STORAGE | INSTANT | PORTABLE GEYSERS

POWERFUL HEATING

Superior Quality ISI Marked CopperHeating Element that provides faster heating for perfect hot water

SUPERIOR QUALITY INNER TANKS

Excellent corrosion resiatance ensured by high grade tanks for durability and longevity of the tank

STURDY OUTER BODY

High quality ABS and Metal material used for strong and elegant body

HI GRADE INSULATION

High grade insulation to prevent heat loss and provide hot water for longer time

SUITABLE FOR HIGH RISE BUILDINGS

(GLASSLINE SERIES)

High pressure rating and the use of multifunctional valve in our geysers withstand upto 10 bar pressure

SMART ENERGY EFFICIENCY

Smart design with highly calibrated cut off that consumes less electricity

PRODUCT & COMPONENTS

ISI marked geysers according to BIS standards along with high quality ISI marked components used for a better product



INSTANT GEYSER

POWER PAC

LONG LASTING HOT WATER

For your Everyday Needs

FEATURES:

- Fitted With ISI Marked Element
- > ISI Marked Wire & 3Pin Top
- > High Density Insulation
- > ABS Anti Rust Body
- > Sleek & Elegant Design
- Suitable for Kitchens etc.



AVAILABLE IN COPPER & SS 316 TANK SIZES: 1 & 3 LTR





STORAGE GEYSER CRC MODEL

FEATURES:

- > 100% Copper Tank
- Inner Fitting & Assembly Of SS
- > Fitted With ISI Marked Element
- > ISI Marked Wire & 3Pin Top
- > High Density Insulation
- > Powder Coated Anti Rust Body

CERTIFIED BY



AVAILABLE IN COPPER & SS 316 TANK

SIZES: 6, 10, 15, 25, 35, 50 LTR



STORAGE WATER HEATER

SIZES: 6, 10, 15, 25 LTR

STORAGE GEYSER ABS MODEL





HIGH PRESSURE GEYSER





FEATURES

- Enamel Coated Tank
- Single Weld Tank Made of Ultra Thick Glass Line
- > High Density Insulation
- > ABS Anti Rust Body
- > Multi Functional Valve
- > Adjustable Temp. Control
- > Fitted With Thermal Cutout
- > Fitted With Copper Element

SIZES: 15 LTR 25 LTR



HIGH PRESSURE GEYSER







FEATURES:

- > Enamel Coated Tank
- Single Weld Tank Made of Ultra Thick Glass Line
- > High Density Insulation
- Powder Coated CRC Metal Body
- > Multi Functional Valve
- > Adjustable Temp. Control
- Fitted With Copper Element
- > Fitted With Temparature Gauge

SIZES: 10 LTR 15 LTR 25 LTR



- Ceilng Fans
- > Exhaust Fans
- > Freshair Fans
- > All Purpose Fans
- > Instant & Storage Geysers
- > Room Heaters
- > Coolers
- > Hotplates
- > Wires, Pump, Powerstrips

.... and more!

- > Immersion Heaters
 - > Kettle Elements
 - > Geyser Elements
 - > Solar Elements
- > Industrial Elements
 - > Oil Heaters
- > Porcelien Elements
 - > Thermostats

.... and all type of customised elements

















POWERPACK APPLIANCES LLP

Customer Care No: +91-9650141985 Email: powerpackelectricals@yahoo.com Website: www.powerpackelectricals.com